

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 13/12/2021 Revision date: 13/12/2021 Supersedes version of: 18/11/2020 Version: 4.0

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture
Trade name CFS-SP SIL
Product code BU Fire Protection

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Professional use

Industrial/Professional use spec Restricted to professional users
Use of the substance/mixture Firestop silicone joint spray

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Department issuing data specification sheet

Hilti (Schweiz) AG Hilti AG

Soodstrasse 61 Feldkircherstraße 100 8134 Adliswil - Schweiz 9494 Schaan - Liechtenstein

T +41 844 84 85 - F +41 844 84 84 86 T +423 234 2111 info@hilti.ch chemicals.hse@hilti.com

1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1 H317
Carcinogenicity, Category 1B H350

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

Contains Vinyltris(methylethylketoxime)silane, Methyltris(1-methylpropylideneaminooxy)silane,

Butanone oxime

Hazard statements (CLP) H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

Precautionary statements (CLP) P261 - Avoid breathing vapours, mist.

P280 - Wear eye protection, protective clothing, protective gloves.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases Restricted to professional users. UFI FAT5-Q2QX-6PN6-GKV2

2.3. Other hazards

Component	
Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Methyltris(1-	The substance is not included in the list established in accordance with Article 59(1) of
methylpropylideneaminooxy)silane(22984-54-9)	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Vinyltris(methylethylketoxime)silane(2224-33-1)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Butanone oxime (96-29-7)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
methanol(67-56-1)	The substance is not included in the list established in accordance with Article 59(1) of
	REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyltris(1-methylpropylideneaminooxy)silane	CAS-No. 22984-54-9	1 – 3	Skin Sens. 1B, H317
	EC-No. 245-366-4		STOT RE 2, H373
	REACH-no 01-2119970560-		Eye Irrit. 2, H319
	38		



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vinyltris(methylethylketoxime)silane	CAS-No. 2224-33-1	0 – 1	Skin Sens. 1B, H317
	EC-No. 218-747-8		STOT RE 2, H373
	REACH-no 01-2119987099-		Eye Dam. 1, H318
	18		
Butanone oxime	CAS-No. 96-29-7	0 – 1	Acute Tox. 3 (Oral), H301
	EC-No. 202-496-6		Acute Tox. 4 (Dermal), H312
	EC Index-No. 616-014-00-0		Skin Irrit. 2, H315
	REACH-no 01-2119539477-		Eye Dam. 1, H318
	28		Skin Sens. 1, H317
			Carc. 1B, H350
			STOT SE 1, H370
			STOT SE 3, H336
			STOT RE 2, H373
methanol	CAS-No. 67-56-1	0 – 1	Flam. Liq. 2, H225
substance with a Community workplace exposure	EC-No. 200-659-6		Acute Tox. 3 (Inhalation), H331
limit	EC Index-No. 603-001-00-X		Acute Tox. 3 (Dermal), H311
			Acute Tox. 3 (Oral), H301
			STOT SE 1, H370

Specific concentration limits:

Name	Product identifier	Specific concentration limits
methanol	CAS-No. 67-56-1	(3 ≤C < 10) STOT SE 2, H371
	EC-No. 200-659-6	(10 ≤C ≤ 100) STOT SE 1, H370
	EC Index-No. 603-001-00-X	

Full text of H- and EUH-statements: see section 16

SECTION 4 First aid measures

11	Description	of firet	aid	mageurae
4.1.	Describition	OI III St	aıu	Illeasures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Take off contaminated clothing. Wash contaminated clothing

before reuse.

First-aid measures after eye contact Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain

medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation May cause an allergic skin reaction. Symptoms/effects after skin contact May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing spray, vapours.

Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures Ventilate area

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in

process area to prevent formation of vapour. Avoid breathing

dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle

until all safety precautions have been read and understood.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids. Incompatible materials Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m³
IOEL TWA [ppm]	200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Switzerland - Occupational Exposure Limits	
Local name	Méthanol
MAK (OEL TWA) [1]	260 mg/m³
MAK (OEL TWA) [2]	200 ppm
KZGW (OEL STEL)	1040 mg/m³
KZGW (OEL STEL) [ppm]	800 ppm
Critical toxicity	SNC / ZNS
Notation	R, SS _C , B / H, SS _C , B
Remark	4x15
Regulatory reference	www.suva.ch, 01.01.2021
Switzerland - BAT	
Local name	Méthanol / Methanol
BAT	30 mg/l (936 µmol/l; Paramètre biologique: Méthanol; Substrat d'examen: Urine; Moment
	du prélèvement: Fin de l'exposition, de la période de travail. Exposition de longue durée:
	après plusieurs périodes de travail.) / (936 µmol/l; Biologischer Parameter: Methanol;
	Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Expositionsende, bzw.
	Schichtende. Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung
	832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment

Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s)









8.2.2.1. Eye and face protection

Eye protection

Chemical goggles or safety glasses

Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

8.2.2.2. Skin protection

Skin and body protection

Wear suitable protective clothing

Hand protection

Protective gloves. Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. In order to avoid inhalation of mist/vapour, all spraying must be done wearing adequate respirator. Wear appropriate mask

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C)		
	organic compounds		

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls

Avoid release to the environment.

Other information

Do not eat, drink or smoke during use.

No additional information available

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour white.
Appearance Pasty.
Odour characteristic.
Odour threshold Not available
Melting point Not applicable



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point Not available Boiling point > 35 °C Flammability \approx 435 °C

Not applicable, Non flammable.

Explosive properties Product is not explosive.

Explosive limits Not available
Lower explosive limit (LEL) Not available
Upper explosive limit (UEL) Not available

Flash point > 93 °C Not applicable.

Auto-ignition temperature Not available Decomposition temperature Not available Not applicable. pΗ Viscosity, kinematic Not available Solubility insoluble in water. Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50 °C Not available 1.3 g/cm³ Density Relative density Not available Relative vapour density at 20 °C Not available Not applicable

Particle size
Particle size distribution
Particle shape
Particle aspect ratio
Particle aggregation state
Particle agglomeration state
Particle agglomeration state
Particle applicable
Particle agglomeration state
Particle specific surface area
Not applicable
Particle dustiness
Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Acute toxicity (crail) Not classified	SECTION 11 Toxicological inform	ation
Acute toxicity (remai) Acute toxicity (demai) Acute toxicity (femai) Acute toxicity (inhalation) Acute toxicity (i	11.1. Information on hazard classes as de	efined in Regulation (EC) No 1272/2008
Acute toxicity (Indexistor) Not classified **Notific (Indexisting Care) **Notific (Indexistin		· · ·
Acute toxicity (inhalation) Not classified Variytris/methytethytiketoxime)silane (224-33-1)	, ,	
Variable (Variable (Vari	· · · · · · · · · · · · · · · · · · ·	
LD50 darial at	, ,	
Rat, Male, Experimental value, Oral) Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9) LD50 dernal rat Experimental value, Dermal) LD50 dernal rat Experimental value, Dermal) LD50 dernal rat LD50 dernal rat Experimental value, Oral, 14 day(8)) LD50 dernal rat Experimental value, Dermal, 14 day(8) LD50 dernal rat Experimental value, Dermal, 14 day(8)) LD50 dernal rat Experimental value, Dermal, 14 day(8)) LD50 dernal rabbit A > 1000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Dermal, 14 day(8)) LC50 Inhalation - Rat Value, Inhalation reports, 14 day(8)) LC50 Inhalation - Rat ATE CLP (Gran) 100 mg/kg bodyweight ATE CLP (Germal) 100 mg/kg bodyweight ATE CLP (Germal) TRE CLP (Germa		
D50 demail rat		
Rethyltris(1-methylpropylideneaminoxy)silane (2984-54-9) LD50 oral rat 2463 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rat 2403 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 2463 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) Butanone oxime (96-29-7) 2328 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 2100 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 inhalation - Rat 24.83 mg/l air (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 inhalation - Rat 24.83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight 100 mg/kg bodyweigh	LD50 dermal rat	
LD50 oral rat 2463 mg/kg bodyweight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rat 2000 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 2463 mg/kg bodyweight (Equivalent or similar to DECD 401, Rat, Male, Experimental value, Dermal, 14 day(s)) LD50 oral rat 2326 mg/kg bodyweight (Equivalent or similar to DECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 1000 mg/kg bodyweight (Equivalent or similar to DECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 1000 mg/kg bodyweight (Equivalent or similar to DECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 24.83 mg/l air (Equivalent or similar to DECD 403, 4 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight ATE CLP (dermal) 1100 mg/kg bodyweight ATE CLP (dermal) 100 mg/kg bodyweight ATE CLP (gemal) 100 mg/kg bodyweight ATE CLP (gemal) 300 mg/kg bodyweight ATE CLP (usus) 300 mg/kg bodyweight 400 mg/kg bodyweigh		
LD50 oral rat 2463 mg/kg bodyweight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LD50 dermal rat 22000 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 2463 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 2463 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 oral rat 2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 4.483 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight ATE CLP (dermal) 1100 mg/kg bodyweight ATE CLP (dermal) 100 mg/kg bodyweight ATE CLP (gemal) 100 mg/kg bodyweight ATE CLP (gemal) 300 mg/kg bodyweight ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (dermal) ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (dermal) 400 mg/kg bodyweight ATE CLP (dermal) 500 mg/kg bodyweight	Methyltris(1-methylpropylideneaminoxy)sil	
Experimental value, Oral, 14 day(s)) LD50 dermal rat 2 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 2 326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 oral rat 2 326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 3 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LD50 dermal rabbit 4 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LD50 dermal rabbit 5 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) ATE CLP (oral) 100 mg/kg bodyweight TOTE CLP (dermal) TOTE CLP (desmal) T	, , , , , , , , , , , , , , , , , , , ,	
LD60 dermal rat 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 2483 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 2326 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 2 + 4.83 mg/l air (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 2 + 4.83 mg/l air (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight (Vapours), 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight 100 mg/kg bod		
Experimental value, Dermal, 14 day(s)) ATE CLP (oral) Butanone oxime (96-29-7) LD50 oral rat 2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit 1 > 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 2 4.83 mg/l air (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 2 4.83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight ATE CLP (dermal) 1100 mg/kg bodyweight THE CLP (dermal) 1100 mg/kg bodyweight ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (gases) 700 ppmv4h ATE CLP (qapours) 3 mg/l/4h ATE CLP (qapours) 3 mg/l/4h ATE CLP (dust.mist) 0.5 mg/l/4h Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Additional information Based on available data, the classification criteria are not met Winytristimethytehyteketximeysilane (2224-3-31) May cause damage to orga	LD50 dermal rat	
### Substitution ### Substitut		
Butanone oxime (96-29-7) LDS0 oral rat 2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit > 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.83 mg/l air (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) ATE CLP (oral) 100 mg/kg bodyweight	ATE CLP (oral)	
LD50 oral rat 2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) LD50 dermal rabbit > 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 4.8 3 mgl air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) ATE CLP (oral) ATE CLP (dermal) 1100 mg/kg bodyweight ATE CLP (dermal) ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (desses) 700 ppm/vlh ATE CLP (dust.mist) 301 mg/kg bodyweight ATE CLP (dust.mist) 302 mg/kg bodyweight ATE CLP (dust.mist) 303 mg/kg bodyweight ATE CLP (dust.mist) 304 mg/kg bodyweight ATE CLP (dust.mist) 305 mg/kg bodyweight ATE CLP (dust.mist) 306 mg/kg bodyweight ATE CLP (dust.mist) 307 mg/kg bodyweight ATE CLP (dermal) 308 mg/kg bodyweight ATE CLP (dermal) 309 mg/kg bodyweight ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (dest.mist) 300 mg/k		
LD50 dermal rabbit		2326 mg/kg bodyweight (Equivalent or similar to OECD 401. Rat. Male. Experimental
LD50 dermal rabbit > 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s)) A	2200 0101 101	
female, Experimental value, Dermal, 14 day(s) LC50 Inhalation - Rat	LD50 dermal rabbit	. ,
ACT CLP (oral) 100 mg/kg bodyweight	EBOO GOTTIGIT TODAK	
value, Inhalation (vapours), 14 day(s)) ATE CLP (dermal) 100 mg/kg bodyweight methanol (67-56-1) ATE CLP (dermal) 100 mg/kg bodyweight ATE CLP (oral) 100 mg/kg bodyweight ATE CLP (oral) 100 mg/kg bodyweight ATE CLP (dermal) 300 mg/kg bodyweight ATE CLP (gasse) 700 ppmv/4h ATE CLP (gasse) 700 ppmv/4h ATE CLP (dust,mist) 0.5 mg/l/4h ATE CLP (dust,mist) 0.5 mg/l/4h Skin corrosion/irritation Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation Hot classified PH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Nay cause an allergic skin reaction. Germ cell mutagenicity Not classified Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Serproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met May cause cancer. Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tetrapeated exposure Causes damage to organs. STOT-repeated exposure Not classified Based on available data, the classification criteria are not met May cause damage to organs (blood) through prolonged or repeated exposure (if	LC50 Inhalation - Rat	
ATE CLP (oral) ATE CLP (dermal) methanol (67-56-1) ATE CLP (oral) ATE CLP (oral) ATE CLP (oral) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (gramal) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (gases) 700 ppmv/4h ATE CLP (dust_mist) 0.5 mg/l/4h ATE CLP (dust_mist) Not classified pH Not applicable. Based on available data, the classification criteria are not met Not classified pH Not applicable. Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. FOT-repeated exposure Not classified Based on available data, the classification criteria are not met Muritris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	2000 Illianation Trat	
ATE CLP (dermal) methanol (67-56-1) ATE CLP (dermal) ATE CLP (gases) 700 ppmv/4h ATE CLP (dust,mist) O.5 mg/l/4h Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Additional information Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met TotT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. TotT-single exposure Causes damage to organs. TotT-repeated exposure Not classified Based on available data, the classification criteria are not met Murytrits(methylethyletyletoxime)silane (2224-331-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	ATE CLP (oral)	
methanol (67-56-1) ATE CLP (oral) ATE CLP (gases) ATE CLP (gases) ATE CLP (gases) ATE CLP (gases) ATE CLP (dust.mist) Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Respiratory or skin sensitisation And available data, the classification criteria are not met Respiratory or skin sensitisation And available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Button-single exposure Additional information Based on available data, the classification criteria are not met Button-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tot'-repeated exposure Not classified Based on available data, the classification criteria are not met Button-source (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tot'-repeated exposure Not classified Based on available data, the classification criteria are not met May cause damage to organs. Tot'-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	1 1	
ATE CLP (ceral) ATE CLP (dermal) ATE CLP (gases) ATE CLP (yapours) ATE CLP (vapours) ATE CLP (wapours) ATE CLP (wapours) ATE CLP (wapours) ATE CLP (dust,mist) AND (classified pH Not applicable. Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. ToTI-single exposure Causes damage to organs. ToTI-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Winyltris(methylethylethyleteoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		1 100 mg/kg bodywolgin
ATE CLP (dermal) ATE CLP (gases) ATE CLP (quases) ATE CLP (vapours) ATE CLP (dust, mist) Skin corrosion/irritation Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tot-single exposure Not classified Based on available data, the classification criteria are not met May cause damage to organs. Tot-repeated exposure Not classified Based on available data, the classification criteria are not met May cause damage to organs (blood) through prolonged or repeated exposure (if		100 mg/kg hodyweight
ATE CLP (gases) ATE CLP (vapours) ATE CLP (vapours) ATE CLP (dust,mist) O.5 mg/l/4h Skin corrosion/irritation Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Not classified Based on available data, the classification criteria are not met Vinytris(methyletylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		
ATE CLP (vapours) ATE CLP (dust,mist) O.5 mg/l/4h Skin corrosion/irritation Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tot-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Madditional information Based on available data, the classification criteria are not met Winyltris(methylethylketoxime)silane (224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		
ATE CLP (dust,mist) Skin corrosion/irritation Not classified pH Not applicable. Additional information Serious eye damage/irritation Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation Additional information Based on available data, the classification criteria are not met May cause an allergic skin reaction. Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tethanol (67-56-1) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met VinyItris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
Skin corrosion/irritation Not classified pH Not applicable. Based on available data, the classification criteria are not met Not classified pH Not applicable. Additional information Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. ToT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. ToT-repeated exposure Not classified Based on available data, the classification criteria are not met Winyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	1 1 1	
pH Not applicable. Additional information Based on available data, the classification criteria are not met Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	,	
Additional information Serious eye damage/irritation Not classified pH Not applicable. Additional information Based on available data, the classification criteria are not met Not classified pH Not applicable. Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	Skin corrosion/irritation	
Serious eye damage/irritation Additional information Respiratory or skin sensitisation Additional information Respiratory or skin sensitisation May cause an allergic skin reaction. Serm cell mutagenicity Additional information Based on available data, the classification criteria are not met May cause cancer. Reproductive toxicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met Butanone oxime 96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-repeated exposure Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	A delition of information	· · · · · · · · · · · · · · · · · · ·
pH Not applicable. Additional information Based on available data, the classification criteria are not met Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Tetrahol (67-56-1) STOT-single exposure Additional information Based on available data, the classification criteria are not met Vinyitris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		
Additional information Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Additional information Based on available data, the classification criteria are not met VinyItris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	Serious eye damage/imation	
Respiratory or skin sensitisation Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Reproductive toxicity Additional information Based on available data, the classification criteria are not met Additional information Based on available data, the classification criteria are not met STOT-single exposure Additional information Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	Additional information	
Additional information Based on available data, the classification criteria are not met Carcinogenicity May cause cancer. Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met CTOT-single exposure Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		·
Additional information Based on available data, the classification criteria are not met May cause cancer. Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Additional information Causes damage to organs. Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		
Carcinogenicity Reproductive toxicity Additional information STOT-single exposure Additional information Bused on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Additional information Causes damage to organs. Not classified Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
Reproductive toxicity Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Mutanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. Methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if		·
Additional information Based on available data, the classification criteria are not met Not classified Additional information Based on available data, the classification criteria are not met Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) May cause damage to organs (blood) through prolonged or repeated exposure (if	5 ,	·
Additional information Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. STOT-repeated exposure Causes damage to organs. STOT-repeated exposure Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
Additional information Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Additional information Causes damage to organs. Not classified Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
Butanone oxime (96-29-7) STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
STOT-single exposure Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		Dased on available data, the diassilication chieffa are not met
methanol (67-56-1) STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness.
STOT-single exposure Causes damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	<u> </u>	
STOT-repeated exposure Additional information Not classified Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	, ,	Causes damage to organs.
Additional information Based on available data, the classification criteria are not met Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if	<u> </u>	
Vinyltris(methylethylketoxime)silane (2224-33-1) STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		
STOT-repeated exposure May cause damage to organs (blood) through prolonged or repeated exposure (if		· · · · · · · · · · · · · · · · · · ·
		swallowed).



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)		
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure (if	
	swallowed).	
Butanone oxime (96-29-7)		
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure.	
Aspiration hazard	Not classified	
Additional information	Based on available data, the classification criteria are not met	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met

SECTION 12 Ecological information

12.1.	Tox	icity
14.1.		ICILY

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

acute)

Not classified

 $\label{thm:long-term} \mbox{Hazardous to the aquatic environment, long-term}$

(chronic)

Not classified

Vinyltris(methylethylketoxime)silane (2224-33-1)		
LC50 - Fish [1]	843 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Static system,	
	Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Experimental value, GLP)	
EC50 72h - Algae [1]	16 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static	
	system, Fresh water, Experimental value, GLP)	
Methyltris(1-methylpropylideneaminooxy)silane (2	2984-54-9)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static	
	system, Fresh water, Read-across, GLP)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Read-across, GLP)	
ErC50 algae	16 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,	
	Static system, Fresh water, Experimental value, GLP)	
Butanone oxime (96-29-7)		
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static	
	system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna,	
	Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	11.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum,	
	Static system, Fresh water, Experimental value, Nominal concentration)	
methanol (67-56-1)		
LC50 - Fish [1]	10800 mg/l (96 h, Salmo gairdneri, Other isotope)	
EC50 - Crustacea [1]	24500 mg/l (48 h, Daphnia magna, Other isotope)	
EC50 72h - Algae [1]	8000 mg/l (Algae, Other isotope)	

12.2. Persistence and degradability

CFS-SP SIL	
Persistence and degradability Not established.	
Vinyltris(methylethylketoxime)silane (2224-33-1)	
Persistence and degradability	Not readily biodegradable in water.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyltris(1-methylpropylideneaminooxy)silane (22984-54-9)		
Persistence and degradability Not readily biodegradable in water.		
Butanone oxime (96-29-7)		
Persistence and degradability	Not readily biodegradable in water. Inherently biodegradable.	
methanol (67-56-1)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 – 1.1 g O ₂ /g substance	
ThOD	1.5 g O ₂ /g substance	
BOD (% of ThOD)	0.4 – 0.73	

12.3. Bioaccumulative potential

CFS-SP SIL		
Bioaccumulative potential	Not established.	
Vinyltris(methylethylketoxime)silane (2224-33-1)		
BCF - Fish [1]	0.5 – 0.6 (Other, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water,	
	Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	10.19 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Methyltris(1-methylpropylideneaminooxy)silane (2	2984-54-9)	
BCF - Fish [1]	0.5 – 5.8 (6 week(s), Cyprinus carpio, Flow-through system, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	0.36 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Butanone oxime (96-29-7)		
BCF - Fish [1]	0.5 – 5.8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus	
	carpio, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	0.63 (Experimental value, Equivalent or similar to OECD 117)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
methanol (67-56-1)		
BCF - Fish [1]	< 10 (Leuciscus idus, Other isotope)	
Partition coefficient n-octanol/water (Log Pow)	-0.82 – -0.66	
Bioaccumulative potential	Not bioaccumulative.	

12.4. Mobility in soil

Vinyltris(methylethylketoxime)silane (2224-33-1)	
Organic Carbon Normalized Adsorption Coefficient	5.773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
(Log Koc)	
Ecology - soil	Adsorbs into the soil.
Methyltris(1-methylpropylideneaminooxy)silane (2)	2984-54-9)
Organic Carbon Normalized Adsorption Coefficient	5.481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
(Log Koc)	
Ecology - soil	Adsorbs into the soil.
Butanone oxime (96-29-7)	
Surface tension	30.29 mN/m (16 °C)
Organic Carbon Normalized Adsorption Coefficient	0.55 (log Koc, SRC PCKOCWIN v2.0, QSAR)
(Log Koc)	
Ecology - soil	Highly mobile in soil.

12.5. Results of PBT and vPvB assessment

Component	
Methyltris(1-methylpropylideneaminooxy)silane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
(22984-54-9)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials Avoid release to the environment.

European List of Waste (LoW) code 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous

substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			<u> </u>
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			,
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information availab	le		<u>'</u>

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
28.	CFS-SP SIL	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Restricted to professional users

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Switzerland

Storage class (LK)

LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16 Other information

Indication of changes:

maioation of changeof			
Section	Changed item	Change	Comments
			general update
2		Modified	
3		Modified	

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H350	May cause cancer.	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H373	May cause damage to organs through prolonged or repeated exposure.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.