

## CB-G EG

Safety information for 2-Component-products

Issue date: 07/12/2022 Revision date: 07/12/2022

Supersedes: 03/08/2020

Version: 5.0

### **SECTION 1: Kit identification**

### **1.1 Product identifier**

Product name Product code CB-G EG BU Fire Protection

### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Schweiz) AG Soodstrasse 61 8134 Adliswil - Schweiz T +41 844 84 84 85 - F +41 844 84 84 86 info@hilti.ch

### **SECTION 2: General information**

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

### **SECTION 3: Kit contents**

### **Classification of the Product**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral)H302Skin Corr. 1H314Eye Dam. 1H318Skin Sens. 1H317Muta. 2H341Aquatic Acute 1H400Aquatic Chronic 1H410

Full text of H- and EUH-statements: see section 16

### Label elements

Labelling according to Regulation (EC) No. 127 Hazard pictograms (CLP)	2/2008 [CLP]	
	GHS05 GHS07 GHS08 GHS09	
Signal word (CLP)	Danger	
Hazard statements (CLP)	H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H341 - Suspected of causing genetic defects. H400 - Very toxic to aquatic life.	



## CB-G EG

Kit Safety Information Sheet (SIS)

	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P260 - Do not breathe vapours.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 - IF exposed or concerned: Get medical advice/attention.</li> <li>P337+P313 - If eve irritation persists: Get medical advice/attention.</li> </ul>

Extra phrases

### Additional information



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CB-G EG, A		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Chronic 3, H412
CB-G EG, B		1	pcs (pieces)	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

<b>SECTION 4: General information</b>	
General advice	For professional users only
SECTION 5: Safe handling advice	
Environmental precautions	Avoid release to the environment
Storage conditions	Store in a dry place. Store in a closed container. Store locked up. Store in a well-ventilated place. Keep cool.
Precautions for safe handling	Ensure good ventilation of the work station Wear personal protective equipment Avoid contact with skin and eyes Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid breathing vapours.
Methods for cleaning up	Take up liquid spill into absorbent material Notify authorities if product enters sewers or public waters
For containment	Collect spillage.

SECTION 6: First aid measures	
First-aid measures after eye contact	Rinse cautiously with water for several minutes.
07/40/0000 011	



## CB-G EG

Kit Safety Information Sheet (SIS)

	Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	IF exposed or concerned: Get medical advice/attention.
Symptoms/effects after eye contact	Serious damage to eyes
Symptoms/effects after skin contact	Irritation May cause an allergic skin reaction.
Other medical advice or treatment	Treat symptomatically

Complete protective clothing

Toxic fumes may be released

Do not attempt to take action without suitable protective equipment Self-contained breathing apparatus

## SECTION 7: Fire fighting measures

Protection during firefighting

Hazardous decomposition products in case of fire

### **SECTION 8: Other information**

No data available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 07/12/2022 Revision date: 07/12/2022 Supersedes version of: 21/05/2021

Version: 5.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Product name Swiss CPID No Product code Mixture CB-G EG, B 360670-26 / 571842-17 BU Fire Protection

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec

For professional use only Industrial

### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Department issuing data specification sheet
Hilti AG
Feldkircherstraße 100
FL– 9494 Schaan
Liechtenstein
T +423 234 2111
chemicals.hse@hilti.com

#### Emorgonov number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains	pentaethylenehexamine, Benzyl alcohol
Hazard statements (CLP)	H302 - Harmful if swallowed.
	H314 - Causes severe skin burns and eye damage.
	H317 - May cause an allergic skin reaction.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P260 - Do not breathe vapours.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, Protective clothing, eye protection.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
pentaethylenehexamine	CAS-No.: 4067-16-7 EC-No.: 223-775-9 EC Index-No.: 612-064-00-2 REACH-no: 01-2119485826- 22	60 – 80	Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	25 – 40	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical
The second second second	advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek
	medical advice. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Call a physician immediately. Remove affected clothing and wash all exposed skin area with
	mild soap and water, followed by warm water rinse. Wash with plenty of water/ If skin
	irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental
	first aid instruction on this label). Wash contaminated clothing before reuse.
First-aid measures after eye contact	Call a physician immediately. Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON
	CENTER/doctor.
First-aid measures after ingestion	Call a physician immediately. Rinse mouth. Do NOT induce vomiting. Obtain emergency
-	medical attention. Call a POISON CENTER/doctor if you feel unwell.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation	May cause an allergic skin reaction.	
Symptoms/effects after skin contact	Burns. May cause an allergic skin reaction.	
Symptoms/effects after eye contact	Serious damage to eyes. Causes serious eye damage.	
Symptoms/effects after ingestion	Burns. Swallowing a small quantity of this material will result in serious health hazard.	

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		

### Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment	Collect spillage.	
Methods for cleaning up	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	Dispose of materials or solid residues at an authorized site.	

### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	Store locked up. Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.		
Incompatible products	Strong bases. Strong acids.		
Incompatible materials	Sources of ignition. Direct sunlight.		

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

No additional information available

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure.

### Personal protective equipment symbol(s):





according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

### 8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Butyl rubber, Fluoroelastomer (FKM), Polyvinylalcohol (PVA)	3 (> 60 minutes)			EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use. No additional information available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Viscous.
Colour	Black.
Odour	Amine-like.
Odour threshold	No data available
рН	> 13
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	> 60 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Non flammable.
Vapour pressure	< 0.9 mm Hg
Relative vapour density at 20°C	No data available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Relative density
Density
Solubility
Partition coefficient n-octanol/water (Log Pow)
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
Oxidising properties
Explosive limits

No data available 1.05 g/cm<sup>3</sup> soluble in water. No data available No data available 160 – 190 cP No data available No data available No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Heat. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	Harmful if swallowed.	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
CB-G EG, B		
ATE CLP (oral)	1851.852 mg/kg bodyweight	
Benzyl alcohol (100-51-6)		
LD50 oral rat	1620 mg/kg	
LC50 Inhalation - Rat	> 4178 mg/m³	
Skin corrosion/irritation	Causes severe skin burns.	
	pH: > 13	
Additional information	Based on available data, the classification criteria are not met	
Serious eye damage/irritation	Causes serious eye damage.	
	pH: > 13	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	
Additional information	Based on available data, the classification criteria are not met	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
Potential adverse human health effects and	Harmful if swallowed.
symptoms	

### **SECTION 12: Ecological information**

12.1.	Toxicity	

Ecology - general	Very toxic to aquatic life with long lasting effects.
Ecology - water	Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term	Very toxic to aquatic life.
(acute)	
Hazardous to the aquatic environment, long-term	Very toxic to aquatic life with long lasting effects.
(chronic)	

### 12.2. Persistence and degradability

CB-G EG, B		
Persistence and degradability         May cause long-term adverse effects in the environment.		
pentaethylenehexamine (4067-16-7)		
Persistence and degradability	Not readily biodegradable in water.	
	1	

### 12.3. Bioaccumulative potential

CB-G EG, B		
Bioaccumulative potential	Not established.	
pentaethylenehexamine (4067-16-7)		
Partition coefficient n-octanol/water (Log Pow)	-1.6 (QSAR)	
Bioaccumulative potential	Not bioaccumulative.	

### 12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessmen	t
Component	
Benzyl alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	

Additional information

Avoid release to the environment.



# CB-G EG, B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials European List of Waste (LoW) code Avoid release to the environment. 07 02 04\* - other organic solvents, washing liquids and mother liquors

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID /

I4.1. UN number UN 2735 I4.2. UN proper shipping nam AMINES, LIQUID,	UN 2735		
I4.2. UN proper shipping nam	UN 2735		
		UN 2735	UN 2735
AMINES, LIQUID,	le		<u> </u>
CORROSIVE, N.O.S.	AMINES, LIQUID, CORROSIVE, N.O.S. Pentaethylenehexamine)	Amines, liquid, corrosive, n.o.s. (Pentaethylenehexamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (Pentaethylenehexamine)
Fransport document descripti	ion		
CORROSIVE, N.O.S. (Pentaethylenehexamine), (F 8, III, (E), ENVIRONMENTALLY PO	N 2735 AMINES, LIQUID, CORROSIVE, N.O.S. Pentaethylenehexamine), 8, III, MARINE OLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 2735 Amines, liquid, corrosive, n.o.s. (Pentaethylenehexamine), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 2735 AMINES, LIQUID CORROSIVE, N.O.S. (Pentaethylenehexamine), 8, III, ENVIRONMENTALLY HAZARDOUS
4.3. Transport hazard class(e	es)		I
8	8	8	8
			8
4.4. Packing group	1		
III	III	III	III
4.5. Environmental hazards	1		<u> </u>
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information a	vailable		

C7
274
51
P001, IBC03, LP01, R001



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Mixed packing provisions (ADR) Transport category (ADR) Orange plates	MP19 3 <b>80</b> <b>2735</b>
Tunnel restriction code (ADR)	E
Transport by sea	
Special provisions (IMDG)	223, 274
Limited quantities (IMDG)	5 L
Packing instructions (IMDG)	P001, LP01
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-B
Stowage category (IMDG)	Α
MFAG-No	153
Air transport	
PCA packing instructions (IATA)	852
PCA max net quantity (IATA)	5L
CAO packing instructions (IATA)	856
Special provisions (IATA)	A3, A803
Rail transport	
Special provisions (RID)	274
Limited quantities (RID)	5L
Packing instructions (RID)	P001, IBC03, LP01, R001
<b>o v</b> <i>i</i>	- ,, - ,

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### Switzerland

Storage class (LK) Swiss CPID No LK 8 - Corrosive materials 360670-26 / 571842-17

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
			Annex II update

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1	Skin sensitisation, Category 1	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

Г

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 07/12/2022 Revision date: 07/12/2022 Supersedes version of: 03/08/2020

Version: 5.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Product name Swiss CPID No Product code Mixture CB-G EG, A 360670-26 BU Fire Protection

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec

Industrial For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Supplier	Department issuing data specification sheet
Hilti (Schweiz) AG	Hilti AG
Soodstrasse 61	Feldkircherstraße 100
CH– 8134 Adliswil	FL– 9494 Schaan
Schweiz	Liechtenstein
T +41 844 84 84 85 - F +41 844 84 84 86	T +423 234 2111
info@hilti.ch	chemicals.hse@hilti.com
1.4. Emergency telephone number	

### Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

### Adverse physicochemical, human health and environmental effects

Suspected of causing genetic defects. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 , 2,3-epoxypropyl o-tolyl ether

Signal word (CLP)

Contains

GHS08



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H341 - Suspected of causing genetic defects.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P261 - Avoid breathing vapours.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quartz (SiO2) substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	25 – 60	STOT RE 1, H372
Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700	CAS-No.: 25068-38-6 EC-No.: 500-033-5	< 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 EUH205
2,3-epoxypropyl o-tolyl ether	CAS-No.: 2210-79-9 EC-No.: 218-645-3 EC Index-No.: 603-056-00-X REACH-no: 01-2119966907- 18	< 10	Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
		( 5 ≤C < 100) Skin Irrit. 2, H315 ( 5 ≤C < 100) Eye Irrit. 2, H319
Full to start of the and Fluid statements and share the AC		

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice. Allow affected person to breathe fresh air. Allow the victim to rest.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	May cause an allergic skin reaction

Symptoms/effects after inhalation	May cause an allergic skin reaction.
Symptoms/effects after skin contact	Irritation. May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	Eye irritation. Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	Toxic fumes may be released.		
5.3. Advice for firefighters			
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust. Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.		
Emergency procedures	Ventilate area.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			

Methods for cleaning up	Mechanically recover the product. Soak up spills with inert solids, such as clay or
	diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing		
	dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood.		
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	Store locked up. Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.		
Incompatible products	Strong bases. Strong acids.		
Incompatible materials	Sources of ignition. Direct sunlight.		

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

Quartz (SiO2) (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Silica crystaline (Quartz)	
IOEL TWA	0.1 mg/m³ (Respirable fraction)	
Remark	(Year of adoption 2003)	
Regulatory reference	SCOEL Recommendations	
Switzerland - Occupational Exposure Limits		
Local name	Dioxyde de silicium cristallisé quartz	
MAK (OEL TWA) [1]	0.15 mg/m³	
Critical toxicity	Cancpulm, Silicose / Lungenkrebs, Silikose	
Notation	$C1_A$ , $SS_C$ , $P / C1_A$ , $SS_C$ , $P$	
Remark	HSE, NIOSH, OSHA	
Regulatory reference	www.suva.ch, 28.03.2022	

### 8.1.2. Recommended monitoring procedures

No additional information available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.1.3. Air contaminants formed

No additional information available

**8.1.4. DNEL and PNEC** No additional information available

**8.1.5. Control banding** No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

### Personal protective equipment:

Safety glasses. Protective clothing. Gloves. Avoid all unnecessary exposure.

### Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Butyl rubber, Fluoroelastomer (FKM), Polyvinylalcohol (PVA)	3 (> 60 minutes)			EN ISO 374

### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

### 8.2.2.4. Thermal hazards

No additional information available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Liquid Beige. mild.

No data available No data available No data available No data available Not applicable No data available > 60 °C Not applicable Not applicable No data available Not applicable 1.95 kg/l

insoluble in water.

### 8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use. No additional information available

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state
Colour
Odour
Odour threshold
рН
Relative evaporation rate (butylacetate=1)
Melting point
Freezing point
Boiling point
Flash point
Auto-ignition temperature
Decomposition temperature
Flammability (solid, gas)
Vapour pressure
Relative vapour density at 20°C
Relative density
Density
Solubility
Partition coefficient n-octanol/water (Log Pow)
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
Oxidising properties
Explosive limits

No data available Not applicable No data available No data available No data available Not applicable

### 9.2. Other information

VOC content

< 31 g/l VOC (Directive 2010/75/EC)

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

No additional information available. Not established.

### 10.4. Conditions to avoid

Heat. Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Bisphenol-A-Epichlorhydrin Epoxy resin Avera	ge MW < 700 (25068-38-6)
LD50 oral rat	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value)
LD50 oral	11400 mg/kg
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
2,3-epoxypropyl o-tolyl ether (2210-79-9)	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)
LC50 Inhalation - Rat	6.09 mg/l (4 h, Rat, Inhalation)
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Suspected of causing genetic defects.
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Quartz (SiO2) (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Quartz (SiO2) (14808-60-7)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
CB-G EG, A	
Viscosity, kinematic	Not applicable
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ecology - water Hazardous to the aquatic environment, short–term (acute)	Harmful to aquatic life with long lasting effects. Not classified	
Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.	
Bisphenol-A-Epichlorhydrin Epoxy resin Average	MW < 700 (25068-38-6)	
LC50 - Fish [1]	1.2 mg/l (96 h; Oncorhynchus mykiss; Lethal)	
LC50 - Fish [2]	2.3 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)	
EC50 - Crustacea [1]	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 72h - Algae [1]	9.4 mg/l (EPA 660/3 - 75/009, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Biomass)	
Threshold limit - Algae [1]	> 11 mg/l (72 h; Scenedesmus sp.)	
Threshold limit - Algae [2]	4.2 mg/l (72 h; Scenedesmus sp.)	
2,3-epoxypropyl o-tolyl ether (2210-79-9)		
LC50 - Fish [1]	1 – 10 mg/l (Pisces)	
EC50 - Crustacea [1]	1 – 10 mg/l (Invertebrata)	
12.2. Persistence and degradability		
CB-G EG, A		
Persistence and degradability	May cause long-term adverse effects in the environment.	
2,3-epoxypropyl o-tolyl ether (2210-79-9)		
Persistence and degradability	Biodegradability in soil: no data available. Not readily biodegradable in water.	
Quartz (SiO2) (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
CB-G EG, A		
Bioaccumulative potential	Not established.	
Bisphenol-A-Epichlorhydrin Epoxy resin Average	MW < 700 (25068-38-6)	
Partition coefficient n-octanol/water (Log Pow)	≥ 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 °C)	
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).	
2,3-epoxypropyl o-tolyl ether (2210-79-9)		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)			
Surface tension		59 mN/m (20 °C, 0.09 g/l)	
Ecology - soil		No (test)data on mobility of the substance available.	
Quartz (SiO2) (14808-60-7)			
Surface tension		No data available in the literature	
Ecology - soil		Low potential for mobility in soil.	

Component		
Quartz (SiO2) (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
2,3-epoxypropyl o-tolyl ether (2210-79-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.			
Ecology - waste materials	Avoid release to the environment.			
European List of Waste (LoW) code	07 02 08* - other still bottoms and reaction residues			

### **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping n	ame		
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard clas	s(es)		
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazard	ls		
Not regulated	Not regulated	Not regulated	Not regulated



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	RID	
No supplementary information available				

### 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Rail transport Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content

< 31 g/I VOC (Directive 2010/75/EC)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.2. National regulations

### Switzerland

Storage class (LK) Swiss CPID No LK 6.1 - Toxic materials 360670-26

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes				
Section	Changed item		Change	Comments
				Annex II update
Data sources		REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information		None.		

Full text of H- and EUH-statements:			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
EUH205	Contains epoxy constituents. May produce an allergic reaction.		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H341	Suspected of causing genetic defects.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Muta. 2	Germ cell mutagenicity, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Irrit. 2 H315 Calculation method			
Eye Irrit. 2	H319	Calculation method	





according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.