

Hilti Grease

en	This safety data sheet file is issued for the following production lots: 1. Version 1.X / 2.X is valid for Hilti Grease with material number 1035006 (see imprint on packaging) 2. Version 3.0 is valid for Hilti Grease with material number 1038640 (see imprint on packaging)
de	Diese Sicherheitsdatenblatt-Datei betrifft die folgenden Fertigungslose: 1. Version 1.X / 2.X ist gültig für Hilti Grease mit der Materialnummer 1035006 (siehe Aufdruck auf Verpackung) 2. Version 3.0 ist gültig für Hilti Grease mit der Materialnummer 1038640 (siehe Aufdruck auf Verpackung)
nl	Dit veiligheidsinformatiebladbestand wordt afgegeven voor de volgende productie-lots: 1. Versie 1.X / 2.X is geldig voor Hilti Grease met het materiaalnummer 1035006 (zie opdruk op verpakking) 2. Versie 3.0 is geldig voor Hilti Grease met het materiaalnummer 1038640 (zie opdruk op verpakking)
fr	Ce fichier de données de sécurité est délivré pour les lots de production suivants : 1. La version 1.X / 2.X est valide pour Hilti Grease avec le numéro de matériau 1035006 (voir l'impression sur l'emballage) 2. La version 3.0 est valide pour Hilti Grease avec le numéro de matériau 1038640 (voir l'impression sur l'emballage)
da	Denne sikkerhedsdatabladsfil er udgivet for følgende produktions lots: 1. Version 1.X / 2.X er gældende for Hilti Grease med materialenummeret 1035006 (se aftryk på emballagen) 2. Version 3.0 er gældende for Hilti Grease med materialenummeret 1038640 (se aftryk på emballagen)
sv	Denna säkerhetsdatabladsfil har utfärdats för följande tillverkningspartier: 1. Version 1.X / 2.X är giltig för Hilti Grease med materialnummer 1035006 (se avtryck på förpackningen) 2. Version 3.0 är giltig för Hilti Grease med materialnummer 1038640 (se avtryck på förpackningen)
fi	Tämä käyttöturvallisuustiedote koskee seuraavia tuotantoeriä: 1. Versio 1.X / 2.X on voimassa Hilti Grease -rasvalle, jonka materiaalinumero on 1035006 (ks. painatus pakkauksessa) 2. Versio 3.0 on voimassa Hilti Grease -rasvalle, jonka materiaalinumero on 1038640 ks. painatus pakkauksessa)
hu	Ezt a biztonsági adatlapot a következő gyártási tételekhez bocsátják ki: 1. Az 1.X / 2.X verzió a Hilti Grease 1035006 anyagszámú zsiradékra érvényes (lásd a csomagoláson lévő lenyomatot) 2. A 3.X verzió a Hilti Grease 1038640 anyagszámú zsiradékra érvényes (lásd a csomagoláson lévő lenyomatot)
es	Este archivo de ficha de datos de seguridad se emite para los siguientes lotes de producción: 1. La versión 1.X / 2.X válida para Hilti Grease con el número de material 1035006 (véase el texto impreso en el embalaje) 2. La versión 3.0 válida para Hilti Grease con el número de material 1038640 (véase el texto impreso en el embalaje)
pt	Este ficheiro com ficha de dados de segurança é emitido para os seguintes lotes de produção: 1. A versão 1.X / 2.X é válida para a Hilti Grease com o número de material 1035006 (ver impressão na embalagem) 2. A versão 3.0 é válida para a Hilti Grease com o número de material 1038640 (ver impressão na embalagem)
it	Questo file della scheda di dati di sicurezza è rilasciato per i seguenti lotti di produzione: 1. La versione 1.X / 2.X è valida per Hilti Grease con il numero di materiale 1035006 (vedere l'impronta sulla confezione) 2. La versione 3.0 è valida per Hilti Grease con il numero di materiale 1038640 (vedere l'impronta sulla confezione)
pl	Ten plik arkusza danych bezpieczeństwa jest wydany dla następujących części produkcyjnych: 1. Wersja 1.X / 2.X dotyczy Hilti Grease o numerze materiału 1035006 (patrz nadruk na opakowaniu) 2. Wersja 3.0 dotyczy Hilti Grease o numerze materiału 1038640 (patrz nadruk na opakowaniu)
ru	Этот файл сертификата безопасности предоставлен для следующих партий продукции: 1. Версия 1.X / 2.X действительна для Hilti Grease с номером материала 1035006 (см. оттиск на упаковке) 2. Версия 3.0 действительна для Hilti Grease с номером материала 1038640 (см. оттиск на упаковке)
el	Το παρόν δελτίο δεδομένων ασφαλείας εκδίδεται για τις ακόλουθες παρτίδες παραγωγής: 1. Η έκδοση 1.X / 2.X ισχύει για το Hilti Grease με αριθμό υλικού 1035006 (βλ. αποτύπωμα στη συσκευασία) 2. Η έκδοση 3.0 ισχύει για το Hilti Grease με αριθμό υλικού 1038640 (βλ. αποτύπωμα στη συσκευασία)
cs	Tento soubor s bezpečnostním listem je vystaven pro následující výrobní šarže 1. Verze 1.X / 2.X platí pro Hilti Grease s číslem materiálu 1035006 (viz potisk na obalu) 2. Verze 3.0 platí pro Hilti Grease s číslem materiálu 1038640 (viz potisk na obalu)
bg	Този файл с информационен лист за безопасност се издава за следните производствени партии: 1. Версия 1.X / 2.X е валидна за Hilti Grease с номер на материала 1035006 (виж отпечатъка върху опаковката) 2. Версия 3.0 е валидна за Hilti Grease с номер на материала 1038640 (виж отпечатъка върху опаковката)
lv	Šo drošības datu lapa ir izsniegta šādām ražošanas partijām: 1. Versija 1.X / 2.X ir derīga Hilti Grease ar materiāla numuru 1035006 (skatīt nospiedumu uz iepakojuma) 2. Versija 3.0 ir derīga Hilti Grease ar materiāla numuru 1038640 (skatīt nospiedumu uz iepakojuma)
lt	Šis saugos duomenų lapo failas išduodamas šioms gamybos partijoms: 1. Versija 1.X / 2.X galioja Hilti Grease su medžiagos numeriu 1035006 (žr. įspaudą ant pakuotės) 2. Versija 3.0 versija galioja Hilti Grease su medžiagos numeriu 1038640 (žr. įspaudą ant pakuotės)
sk	Táto karta bezpečnostných údajov sa vydáva pre tieto výrobné dávky: 1. Verzia 1.X / 2.X platí pre Hilti Grease s číslom materiálu 1035006 (pozri potlač na obale) 2. Verzia 3.0 platí pre Hilti Grease s číslom materiálu 1038640 (pozri potlač na obale)
sl	Datoteka z varnostnim listom je izdana za naslednje proizvodne serije: 1. Različica 1.X / 2.X velja za Hilti Grease s številko materiala 1035006 (glej odtis na embalaži) 2. Različica 3.0 velja za Hilti Grease s številko materiala 1038640 (glej odtis na embalaži)
et	See ohutuskaardi fail on välja antud järgmistele tootepartidele: 1. Versioon 1.X / 2.X kehtib Hilti Grease jaoks, mille materjalinumbr on 1035006 (vt trükki pakendil) 2. Versioon 3.0 kehtib Hilti Grease jaoks, mille materjalinumbr on 1038640 (vt trükki pakendil)

Hilti Grease

ro	Această fișă cu date de securitate este emisă pentru următoarele loturi de producție: 1. Versiunea 1.X / 2.X este valabilă pentru Hilti Grease cu numărul de material 1035006 (a se vedea amprenta de pe ambalaj) 2. Versiunea 3.0 este valabilă pentru Hilti Grease cu numărul de material 1038640 (a se vedea amprenta de pe ambalaj)
hr	Ovaj sigurnosno-tehnički list izdaje se za sljedeće proizvodne serije: 1. Verzija 1.X / 2.X vrijedi za Hilti Grease s brojem materijala 1035006 (vidi otisak na pakiranju) 2. Verzija 3.0 vrijedi za Hilti Grease s brojem materijala 1038640 (vidi otisak na pakiranju)
tr	Bu güvenlik bilgi formu dosyası aşağıdaki üretim lotları için düzenlenmiştir: 1. Sürüm 1.X / 2.X, 1035006 malzeme numaralı Hilti Grease için geçerlidir (ambalaj üzerindeki baskıya bakınız) 2. Sürüm 3.0, 1038640 malzeme numaralı Hilti Grease için geçerlidir (ambalaj üzerindeki baskıya bakınız)
uk	Цей файл паспорта безпеки видається для наступних партій продукції: 1. Версія 1.X / 2.X дійсна для Hilti Grease з номером матеріалу 1035006 (див. відбиток на упаковці) 2. Версія 3.0 дійсна для Hilti Grease з номером матеріалу 1038640 (див. відбиток на упаковці)
zh	本安全数据表文件针对以下生产批次发布： 1. 版本 1.X / 2.X 对 Hilti Grease 有效，材料编号为 1035006（见包装上的印记） 2. 版本 3.0 对 Hilti Grease 有效，材料编号为 1038640（见包装上的印记）
ar	يتم إصدار ملف صحيفة بيانات السلامة لتشغيلات الإنتاج التالية: 1. الإصدار 1.X / 2.X صالح لـ Hilti Grease مع رقم المادة 1035006 (انظر البصمة على العبوة) 2. الإصدار 3.0 صالح لـ Hilti Grease مع رقم المادة 1038640 (انظر البصمة على العبوة)
ja	この安全性データシートファイルは、次の生産ロット用に発行されています： 1. バージョン 1.X / 2.X は、材料番号 1035006 の Hilti Grease に対して有効です（パッケージの刻印を参照） 2. バージョン 3.0 は、材料番号1038640 の Hilti Grease に対して有効です（パッケージの刻印を参照）
sr	Datoteka bezbednosnog lista se izdaje za sledeće proizvodne serije: 1. Verzija 1.X / 2.X važi za Hilti Grease sa brojem materijala 1035006 (pogledajte otisak na pakovanju) 2. Verzija 3.0 važi za Hilti Grease sa brojem materijala 1038640 (pogledajte otisak na pakovanju)
ms	Fail helaian data keselamatan ini dikeluarkan untuk lot pengeluaran yang berikut: 1. Versi 1.X / 2.X sah untuk Hilti Grease dengan nombor bahan 1035006 (lihat cetakan pada pembungkusan) 2. Versi 3.0 sah untuk Hilti Grease dengan nombor bahan 1038640 (lihat cetakan pada pembungkusan)
ko	본 안전보건자료는 다음 제품 로트에 대해 발급되었습니다. 1. 버전 1.X / 2.X 는재료 번호1035006 의 Hilti Grease에 유효합니다 (포장의 각인 참조) 2. 버전 3.0 는재료 번호1038640 의 Hilti Grease에 대해 유효합니다 (포장의 각인 참조)
id	File lembar data keselamatan ini diterbitkan untuk lot produksi berikut: 1. Versi 1.X / 2.X berlaku untuk Hilti Grease dengan nomor material 1035006 (lihat cetakan pada kemasan) 2. Versi 3.0 berlaku untuk Hilti Grease dengan nomor material 1038640 (lihat cetakan pada kemasan)
he	קובץ גיליון נתוני בטיחות זה מונפק עבור מגרשי הייצור הבאים: 1. גרסה 1.X תקפה ל-Hilti Grease עם מספר חומר 1035006 (ראה טביעה על האריזה) 2. גרסה 2.0 תקפה ל-Hilti Grease עם מספר חומר 1038640 (ראה טביעה על האריזה)
th	แผนข้อมูลด้านความปลอดภัยนี้จัดทำสำหรับล็อตการผลิตดังต่อไปนี้: 1. เวอร์ชัน 1.X / 2.X ใช้ได้กับ Hilti Grease ที่มีหมายเลขวัสดุ 1035006 (ดูข้อมูลบนบรรจุภัณฑ์) 2. เวอร์ชัน 3.0 ใช้ได้กับ Hilti Grease ที่มีหมายเลขวัสดุ 1038640 (ดูข้อมูลบนบรรจุภัณฑ์)
vi	Tệp bảng dữ liệu an toàn này được phát hành cho các lô sản xuất sau: 1. Phiên bản 1.X / 2.X hợp lệ cho Hilti Grease với số vật liệu 1035006 (xem dấu in trên bao bì) 2. Phiên bản 3.0 hợp lệ cho Hilti Grease với số vật liệu 1038640 (xem dấu in trên bao bì)
zh tw	本安全資料表文件針對下列生產批次發行： 1. 版本 1.X / 2.X 適用於喜利得 Hilti Grease，材料編號 1035006（請參閱包裝上的印記） 2. 版本 3.0 適用於喜利得 Hilti Grease，材料編號 1038640（請參閱包裝上的印記）
kk	Бұл қауіпсіздік паспорты мына өндірістік партиялар үшін шығарылады: 1. 1.X / 2.X нұсқасы 1035006 материал нөмірі бар Hilti Grease шін жарамды (қаптамадағы ізді қараңыз) 2. 3.0 нұсқасы 1038640 материал нөмірі бар Hilti Grease шін жарамды (қаптамадағы ізді қараңыз)



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 21/01/2025 Revision date: 21/01/2025 Supersedes version of: 20/09/2022 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	Mixture
Trade name	Hilti Grease
Swiss CPID No	660992-93
Product code	BU ET&A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	For professional use only
Function or use category	Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti (Schweiz) AG	Hilti AG
Soodstrasse 61	Feldkircherstraße 100
CH 8134 Adliswil	FL 9494 Schaan
Schweiz	Liechtenstein
T +41 844 84 84 85, F +41 844 84 84 86	T +423 234 2111
info@hilti.ch	product.compliance-power.tools@hilti.com

1.4. Emergency telephone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements	EUH210 - Safety data sheet available on request.
----------------	--

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Calcium carbonate (471-34-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	PBT: not yet assessed vPvB: not yet assessed

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Calcium carbonate (471-34-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate Stoff mit nationalem Arbeitsplatzgrenzwert (CH)	CAS-No.: 471-34-1 EC-No.: 207-439-9 REACH-no: 01-2119486795-18	10 – 25	Not classified
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635-27	1 – 2.5	Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635-27	(50 ≤ C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Evacuate area.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

Store tightly closed in a dry and cool place. Does not require any specific or particular technical measures.

Storage conditions

Store in original container.

Incompatible materials

Strong oxidizing agents. Pyrophoric or self-heating substances.

Storage temperature

5 – 25 °C

7.3. Specific end use(s)

Special lubricant for insert tool connection end.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.1.1. National occupational exposure and biological limit values

Calcium carbonate (471-34-1)	
Switzerland - Occupational Exposure Limits	
Local name	Carbonate de calcium / Calciumcarbonat
MAK (OEL TWA)	3 mg/m ³ (a) / (a)
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.01.2024

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Handling and storage of this material do not require special precaution.

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

Not required



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke during use.

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Black.
Appearance	Pasty.
Odour	Not available
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Not available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	> 210 °C
Auto-ignition temperature	> 300 °C
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic	Not applicable
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	< 0.1 mbar
Vapour pressure at 50°C	Not available
Density	≈ 1.06 g/cm ³
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content ≈ 0 mg/l

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Calcium carbonate (471-34-1)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 420 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
LC50 Inhalation - Rat	> 3 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 15 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 3 mg/l/4h (OECD 403 method);spray

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
LD50 oral rat	3100 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

Calcium carbonate (471-34-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day (OECD 422 method)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.212 mg/l/6h/day Dust;(OECD 413 method)

Aspiration hazard	Not classified
-------------------	----------------

11.2. Information on other hazards

No additional information available

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) Not classified
 Hazardous to the aquatic environment, long-term (chronic) Not classified
 Not rapidly degradable

Calcium carbonate (471-34-1)	
LC50 - Fish [1]	> 100 % (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 % (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	14 mg/l (OECD 201 method)
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Calcium carbonate (471-34-1)	
Persistence and degradability	Not applicable for inorganic substances.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Calcium carbonate (471-34-1)	
Bioaccumulative potential	Not applicable for inorganic substances.

12.4. Mobility in soil

Calcium carbonate (471-34-1)	
Surface tension	No data available (test not performed)
Ecology - soil	Low potential for adsorption in soil.

12.5. Results of PBT and vPvB assessment

Hilti Grease	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose in a safe manner in accordance with local/national regulations.
 Ecological information Avoid release to the environment.
 European List of Waste (LoW, EC 2000/532) 12 01 12* - spent waxes and fats



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HP Code

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content ≈ 0 mg/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Switzerland

Swiss CPID No 660992-93
VOCV (Swiss) 0 %

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

Modified.

Indication of changes			
Section	Changed item	Change	Comments
1.3	Department issuing data specification sheet	Modified	
1.4	Emergency number	Modified	

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 28/01/2025 Revision date: 28/01/2025 Supersedes version of: 21/01/2025 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	Mixture
Trade name	Hilti Grease
Swiss CPID No	952672-90
Product code	BU ET&A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	For professional use only
Function or use category	Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier	Department issuing data specification sheet
Hilti (Schweiz) AG	Hilti AG
Soodstrasse 61	Feldkircherstraße 100
CH 8134 Adliswil	FL 9494 Schaan
Schweiz	Liechtenstein
T +41 844 84 84 85, F +41 844 84 84 86	T +423 234 2111
info@hilti.ch	product.compliance-power.tools@hilti.com

1.4. Emergency telephone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements	EUH210 - Safety data sheet available on request.
----------------	--

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (1335202-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
diethyleneglycolmonoethyl ether (111-90-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (1335202-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
diethyleneglycolmonoethyl ether (111-90-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	CAS-No.: 1335202-81-7 EC-No.: 932-231-6 REACH-no: 01-2119560592-37	0.1 – 2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
diethyleneglycolmonoethyl ether Stoff mit nationalem Arbeitsplatzgrenzwert (CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105-42	0.1 – 2.5	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	CAS-No.: 1335202-81-7 EC-No.: 932-231-6 REACH-no: 01-2119560592-37	(0 < C < 10.5) Eye Irrit. 2, H319 (10.5 ≤ C ≤ 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	Repeated dermal contact with material can lead to defatting of the skin. May cause skin dryness or cracking. High pressure injection of product under the skin can have very serious consequences even without apparent symptoms or injuries.
Symptoms/effects after eye contact	None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	None under normal conditions. Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard	No direct explosion hazard.
Hazardous decomposition products in case of fire	Carbon oxides (CO, CO ₂). Metallic oxides. Phosphorus oxides. Sulphur oxides.

5.3. Advice for firefighters

Firefighting instructions	Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate area.
6.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	Keep in suitable, closed containers for disposal.
Methods for cleaning up	Mechanically recover the product. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).
Other information	Dispose of materials or solid residues at an authorized site.

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat. Comply with applicable regulations.
Storage conditions	Store in original container. Keep container tightly closed. Store in a dry place. Keep away from ignition sources.
Incompatible materials	Oxidizing materials.
Storage temperature	5 – 25 °C
Packaging materials	Store always product in container of same material as original container.

7.3. Specific end use(s)

Special lubricant for insert tool connection end.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information	The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.
------------------------	--

8.1.1. National occupational exposure and biological limit values

diethyleneglycolmonoethyl ether (111-90-0)	
Switzerland - Occupational Exposure Limits	
Local name	Ether monoéthylique du diéthylèneglycol / Ethyldiglykol
MAK (OEL TWA)	50 mg/m ³ (i) / (e)
KZGW (OEL STEL)	100 mg/m ³ (i) / (e)
Notation	SS _C / SS _C
Remark	La substance peut être présente sous forme de vapeur et d'aérosol en même temps / Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen
Regulatory reference	www.suva.ch, 01.01.2025

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Handling and storage of this material do not require special precaution. Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Not required

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke during use.

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	dark grey.
Appearance	Pasty.
Odour	Not available
Odour threshold	Not available
Melting point	Not available
Freezing point	Not applicable
Boiling point	Not available
Flammability	Not available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic	> 20.5 mm ² /s (40°C)

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	1 g/cm ³ (25°C)
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (1335202-81-7)	
LD50 oral rat	4445 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other., 95% CL: 3913 - 5051
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

diethyleneglycolmonoethyl ether (111-90-0)	
LD50 oral	6031 mg/kg bodyweight (Equivalent or similar to OECD 401, Mouse, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	9143 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

Hilti Grease	
Viscosity, kinematic	> 20.5 mm ² /s (40°C)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified
Not rapidly degradable	

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts (1335202-81-7)	
LC50 - Fish [1]	1.67 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	2.9 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	29 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'

diethyleneglycolmonoethyl ether (111-90-0)	
LC50 - Fish [1]	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)
ErC50 algae	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

diethyleneglycolmonoethyl ether (111-90-0)	
Persistence and degradability	Readily biodegradable in water.

Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

diethyleneglycolmonoethyl ether (111-90-0)	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance
ThOD	1.9078849 g O ₂ /g substance
BOD (% of ThOD)	0.11 (Calculated value)

12.3. Bioaccumulative potential

diethyleneglycolmonoethyl ether (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.54 (Literature, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

diethyleneglycolmonoethyl ether (111-90-0)	
Surface tension	71.5 mN/m (20 °C, 0.1 %, OECD 115: Surface Tension of Aqueous Solutions)
Ecology - soil	Highly mobile in soil.

12.5. Results of PBT and vPvB assessment

Hilti Grease	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	Do not re-use empty containers.
Ecological information	Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	12 01 12* - spent waxes and fats
HP Code	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
14.2. UN proper shipping name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Switzerland

Storage class (LK)	NG - Non-hazardous
Swiss CPID No	952672-90
VOCV (Swiss)	0 %

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Modified.

Indication of changes			
Section	Changed item	Change	Comments
3.2	Composition/information on ingredients	Modified	
15.1	CPID No.	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level



Hilti Grease

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.